



**Products and Solutions for the
Electrical Industry**

Cookie Policy

January 20, 2026

Table of Contents

Cookie Policy	2
What are cookies	2
What types of cookies do we use?	2
Why do we use cookies	2
How can I control cookies.....	2
Necessary Website Cookies	3
Marketing Website Cookies	10
Stastics Cookies	13
Unclassified Cookies.....	16
How can I control cookies on my browser.....	16
California residents (CCPA / CPRA)	16
Changes to this cookie policy.....	16
Contact us	17

Cookie Policy

Last updated: 01/24/2026

This Cookie Policy explains how Schaedler Yesco Distribution Inc. uses cookies and similar technologies to recognize you when you visit our website at <https://www.sydist.com/> ("**Website**").

It explains what these technologies are and why we use them, as well as your rights to control our use of them.

In some cases, we may use cookies to collect personal information, or that becomes personal information if we combine it with other information.

What are cookies

Cookies are small data files that are placed on your computer or mobile device when you visit a website. Cookies are widely used by website owners in order to make their websites work, or to work more efficiently, as well as to provide reporting information.

Cookies set by the website owner (in this case, Schaedler Yesco Distribution Inc.) are called "first-party cookies." Cookies set by parties other than the website owner are called "third-party cookies." Third-party cookies enable third-party features or functionality to be provided on or through the website (e.g., advertising, interactive content, and analytics). The parties that set these third-party cookies can recognize your computer both when it visits the website in question and also when it visits certain other websites.

What types of cookies do we use?

We use the following categories of cookies on our Website:

- **Necessary Cookies** – required for the Website to function
- **Preferences Cookies** – enable enhanced functionality and personalization
- **Statistics Cookies** – help us understand how visitors interact with the Website
- **Marketing / Advertising Cookies** – used to deliver relevant advertisements
- **Unclassified Cookies** – cookies currently being classified

This is described in more detail below.

Why do we use cookies

We use cookies to:

- Ensure the Website operates correctly
- Improve performance and security
- Understand how users navigate our Website
- Personalize content and user experience
- Deliver targeted advertising (where applicable)
- Comply with legal and regulatory requirements

How can I control cookies

You have the right to decide whether to accept or reject cookies. You can exercise your cookie rights by setting your preferences in the Cookie Consent Manager. The Cookie Consent Manager allows you to select which categories of cookies you accept or reject. Necessary cookies cannot be rejected as they are strictly necessary to provide you with services.

The Cookie Consent Manager can be found on our website. If you choose to reject cookies, you may still use our website though your access to some functionality and areas of our website may be restricted. You may also set or amend your web browser controls to accept or refuse cookies.

The specific types of first and third-party cookies served through our Website and the purposes they perform are described in the table below (please note that the specific cookies served may vary depending on the specific Online Properties you visit):

Necessary Website Cookies

These cookies are strictly necessary to provide you with services available through our Website and to use some of its features, such as access to secure areas.

Name	_cfuvid
Purpose	Part of Cloudflare services (load-balancing, security).
Provider	core.service.elfsight.com
Service	Cloudflare
Country	Unknown
Type	HTTP
Expires in	Session

Category	Name	Purpose	Provider	Service	Country	Type	Expires In
Necessary	CurrentBillTold	Stores the current bill-to account ID for the user session	Application	Session Management	N/A	First-party, Persistent	Session (or daysToRetain User if remembered)
Necessary	CurrentShipTold	Stores the current ship-to account ID for the user session	Application	Session Management	N/A	First-party, Persistent	Session (or daysToRetain User if remembered)
Necessary	CurrentPickUpWarehouseId	Stores the selected pickup warehouse ID	Application	Session Management	N/A	First-party, Persistent	Session (or daysToRetain User if remembered)
Necessary	PreviewLoggedIn	Tracks if user is in preview login mode	Application	Preview Login	N/A	First-party, Persistent	30 days
Necessary	PunchOutSessionId	Stores punch-out session identifier	Application	Punch-Out Integration	N/A	First-party, Session	Session
Necessary	SetContextLanguageCode	Stores the selected language code	Application	Localization	N/A	First-party, Session	Session

Necessary	CurrentLanguageId	Stores the current language ID	Application	Localization	N/A	First-party, Session	Session
Necessary	CurrentCurrencyId	Stores the current currency ID	Application	Localization	N/A	First-party, Session	Session
Necessary	CurrentFulfillmentMethod	Stores the selected fulfillment method (PickUp or Ship)	Application	Fulfillment	N/A	First-party, Persistent	Session (or daysToRetainUser if remembered)
Necessary	isSiteInShell	Indicates if the site is being viewed in the CMS shell	Application	CMS/Shell	N/A	First-party, Session	Session
Necessary	cms_CurrentContentMode	Stores the current CMS content mode (Viewing, Editing, Previewing)	Application	CMS/Shell	N/A	First-party, Session	Session
Necessary	cms_CurrentContentModeSignature	Signature for content mode cookie	Application	CMS/Shell	N/A	First-party, Session	Session
Necessary	optimizely_id_token	Optimizely ID token for authentication	Optimizely	CMS Authentication	N/A	First-party, Session	Session
Necessary	.Nop.Customer	Used to remember which products have been added to shopping-cart.	minerallac.com		United States	HTTP	1 year
Necessary	__cf_bm	Used to distinguish between humans and bots.	bigcommerce.com	Big Commerce	United States	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	emerson.com	Emerson	Unknown	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	fluke.com	Fluke	Unknown	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	usa.proterial.com	Proterial	United States	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	wago.com	Wago	Unknown	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	mulberrymetal.com	Mulberry Metal	United States	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	stfirestop.com	STI Firestop	United States	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	xologic.com	Xologic	Unknown	HTTP	1 day
Necessary	__cf_bm	Used to distinguish between humans and bots.	https://www.google.com/search?q=xologicstore.com	Xologic	Unknown	HTTP	1 day
Necessary	_abck	Used to detect and defend against replay-cookie-attacks.	eaton.com	Eaton	Ireland	HTTP	1 year

Necessary	_cfuvid	Part of Cloudflare services (load-balancing, security).	core.service.elfsight.com	Elf Sight	Unknown	HTTP	Session
Necessary	_cfuvid	Part of Cloudflare services (load-balancing, security).	elfsight.com	Elf Sight	Unknown	HTTP	Session
Necessary	_cfuvid	Part of Cloudflare services (load-balancing, security).	stfirestop.com	STI Firestop	United States	HTTP	Session
Necessary	ak_bmsc	Used to distinguish between humans and bots.	eaton.com	Eaton	Ireland	HTTP	1 day
Necessary	AKA_A2	Necessary for the cache function to optimize response time.	https://www.google.com/search?q=rockwellautomation.com		Ireland	HTTP	1 day
Necessary	AKA_A2	Necessary for the cache function to optimize response time.	https://www.google.com/search?q=te.com		United States	HTTP	1 day
Necessary	anonymous-consents	Stores the user's cookie consent state.	legrand.us	Legrand	Ireland	HTTP	Session
Necessary	ARRAffinity	Used to distribute traffic to the website on several servers (Load Balancing).	flexstrut.com	Flex Strut	United States	HTTP	Session
Necessary	ARRAffinity	Used to distribute traffic to the website on several servers (Load Balancing).	milbankworks.com	Milbank Works	United States	HTTP	Session
Necessary	ARRAffinitySameSite	Used to distribute traffic to the website on several servers (Load Balancing).	eiko.com	Eiko	United States	HTTP	Session
Necessary	ARRAffinitySameSite	Used to distribute traffic to the website on several servers (Load Balancing).	flexstrut.com	Flex Strut	United States	HTTP	Session
Necessary	ARRAffinitySameSite	Used to distribute traffic to the website on several servers (Load Balancing).	milbankworks.com	Milbank Works	United States	HTTP	Session
Necessary	AWSALB	Registers which server-cluster is serving the visitor (Load Balancing).	https://www.google.com/search?q=analytics.ziftsolutions.com		United States	HTTP	7 days
Necessary	AWSALBAPP-0	Used in context with load balancing.	thinglink.com	Think Link	Ireland	HTTP	7 days
Necessary	AWSALBAPP-1	Used in context with load balancing.	thinglink.com	Think Link	Ireland	HTTP	7 days
Necessary	AWSALBAPP-2	Used in context with load balancing.	thinglink.com	Think Link	Ireland	HTTP	7 days
Necessary	AWSALBAPP-3	Used in context with load balancing.	thinglink.com	Think Link	Ireland	HTTP	7 days

Necessary	AWSALBCORS	Registers which server-cluster is serving the visitor (Load Balancing).	https://www.google.com/search?q=analytics.ziftsolutions.com		United States	HTTP	7 days
Necessary	AWSALBCORS	Registers which server-cluster is serving the visitor (Load Balancing).	cooperlighting.com		Ireland	HTTP	7 days
Necessary	AWSALBCORS	Registers which server-cluster is serving the visitor (Load Balancing).	minkagroup.net		United States	HTTP	7 days
Necessary	AWSALBCORS	Registers which server-cluster is serving the visitor (Load Balancing).	signify.com		Ireland	HTTP	7 days
Necessary	bm_sz	Used in context with the website's BotManager.	eaton.com		Ireland	HTTP	1 day
Necessary	CookieConsent	Stores the user's cookie consent state.	https://www.google.com/search?q=info.sydist.com		United States	HTTP	1 year
Necessary	CookieConsent	Stores the user's cookie consent state.	sydist.com		Unknown	HTTP	1 year
Necessary	CookieConsentPolicy	Stores the user's cookie consent state.	appleton.emerson.com		Ireland	HTTP	1 year
Necessary	CookieConsentPolicy	Stores the user's cookie consent state.	https://www.google.com/search?q=functionaldevices.com		Unknown	HTTP	1 year
Necessary	cookie-notification	Determines whether the visitor has accepted the cookie consent box.	legrand.us		Ireland	HTTP	Session
Necessary	JSESSIONID	Preserves users states across page requests.	client.moblico.net		United States	HTTP	7 days
Necessary	JSESSIONID	Preserves users states across page requests.	https://www.google.com/search?q=info.sydist.com		United States	HTTP	Session
Necessary	JSESSIONID	Preserves users states across page requests.	legrand.us		Ireland	HTTP	Session
Necessary	LSKey-c\$CookieConsentPolicy	Determines whether the user has accepted the cookie consent box.	appleton.emerson.com		Ireland	HTTP	1 year
Necessary	LSKey-c\$CookieConsentPolicy	Determines whether the user has accepted the cookie consent box.	https://www.google.com/search?q=functionaldevices.com		Unknown	HTTP	1 year
Necessary	rc::a	Used to distinguish between humans and bots.	gstatic.com		United States	HTML	Persistent
Necessary	rc::c	Used to distinguish between humans and bots.	gstatic.com		United States	HTML	Session
Necessary	TS#	Used to ensure website security and fraud detection.	https://www.google.com/search?q=dynamicmedia.eaton.com		Ireland	HTTP	Session

Necessary	TS#	Used to ensure website security and fraud detection.	eaton.com		Ireland	HTTP	Session
Necessary	BlogListPageNumber	Unclassified	sydist.com		Unknown	HTML	Persistent
Necessary	BlogListPageSize	Unclassified	sydist.com		Unknown	HTML	Persistent
Necessary	cacheCleared	Unclassified	sydist.com		Unknown	HTML	Session
Necessary	CurrentCurrencyId	Unclassified	sydist.com		Unknown	HTTP	30 days
Necessary	CurrentLanguageId	Unclassified	sydist.com		Unknown	HTTP	30 days
Necessary	InsiteCacheld	Unclassified	sydist.com		Unknown	HTTP	Session
Necessary	isSiteInShell	Unclassified	sydist.com		Unknown	HTTP	Session
Necessary	SearchedDataStore	Unclassified	sydist.com		Unknown	HTML	Persistent
Necessary	SetContextLanguageCode	Unclassified	sydist.com		Unknown	HTTP	30 days
Necessary	SetContextPersonalIds	Unclassified	sydist.com		Unknown	HTTP	Session
Necessary	user-isLocalRememberMe	Unclassified	sydist.com		Unknown	HTML	Persistent
Necessary	wp#	Unclassified	sydist.com		United States	HTTP	1 year
Necessary	XCONNECT_LAST_PAGE_LOAD	Unclassified	sydist.com		Unknown	HTTP	Session
Necessary	XCONNECT_VISIT_ID	Unclassified	sydist.com		Unknown	HTTP	Session
Necessary	XCONNECT_VISITOR_ID	Unclassified	sydist.com		Unknown	HTTP	30 days

Preferences Website Cookies

Name	lastPageRefresh
Purpose	Prevents infinite refresh loops by tracking the last page refresh timestamp
Provider	Application
Service	Error Handling
Country	NA
Type	First-Party, Persistent, HTTP
Expires in	Session

Category	Name	Purpose	Provider	Service	Country	Type	Expires In
Preferences	SetRememberedUserId	Indicates if the user has chosen to be remembered	Application	Authentication	N/A	First-party, Persistent	Session
Preferences	lastPageRefresh	Prevents infinite refresh loops by tracking the last page refresh timestamp	Application	Error Handling	N/A	First-party, Session	Session
Preferences	cms_IsMobileApp	Indicates if accessing from mobile app	Application	CMS/Shell	N/A	First-party, Session	Session
Preferences	acceptCookies	Stores user's cookie consent preference	Application	Cookie Consent	N/A	First-party, Persistent	365 days
Preferences	NavigationMode	Stores the selected navigation mode (Storefront, etc.)	Application	Navigation	N/A	First-party, Persistent	Session
Preferences	ProductList-View	Stores the preferred product list view type	Application	Product List	N/A	First-party, Persistent	Session
Preferences	NeverShowLinkWarning	User preference to not show link warnings in CMS	Application	CMS	N/A	First-party, Persistent	Session
Preferences	LastUpdatedListId	Stores the ID of the last wish list that was updated	Application	Wish Lists	N/A	First-party, Persistent	Session
Preferences	productListSortType	Stores the preferred product list sort type	Application	Product List	N/A	First-party, Persistent	Session
Preferences	ShowPricing	Stores user preference for displaying pricing information	Application	Display Settings	N/A	First-party, Persistent	Session
Preferences	ShowInventory	Stores user preference for displaying inventory information	Application	Display Settings	N/A	First-party, Persistent	Session
Preferences	ProductList-PageSize	Stores preferred page size for product list	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	OrderHistory-PageSize	Stores preferred page size for order history	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	InvoiceHistory-PageSize	Stores preferred page size for invoice history	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	Lists-PageSize	Stores preferred page size for lists	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	VmiUsers-PageSize	Stores preferred page size for VMI users	Application	Pagination	N/A	First-party, Persistent	Session

Preferences	VmiLocations-PageSize	Stores preferred page size for VMI locations	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	VmiBins-PageSize	Stores preferred page size for VMI bins	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	VmiBinOrders-PageSize	Stores preferred page size for VMI bin orders	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	VmiCounts-PageSize	Stores preferred page size for VMI counts	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	VmiOrders-PageSize	Stores preferred page size for VMI orders	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	VmiOrderHistory-PageSize	Stores preferred page size for VMI order history	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	VmiReporting-PageSize	Stores preferred page size for VMI reporting	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	AddVmiUserModal-Locations-PageSize	Stores preferred page size for add VMI user modal locations	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	NewsList-PageSize	Stores preferred page size for news list	Application	Pagination	N/A	First-party, Persistent	Session
Preferences	peerius_rid	Unclassified - Supports Personalized Product Recommendations based on user page visits on Sydist.com	sydist.com		Unknown	HTTP	Session
Preferences	peerius_ct	Unclassified - Supports Personalized Product Recommendations based on user page visits on Sydist.com	sydist.com		Unknown	HTTP	Session
Preferences	peerius_sess	Unclassified - Supports Personalized Product Recommendations based on user page visits on Sydist.com	sydist.com		Unknown	HTTP	1 day
Preferences	peerius_user	Unclassified - Supports Personalized Product Recommendations based on user page visits on Sydist.com	sydist.com		Unknown	HTTP	7200 days

Marketing / Advertising Website Cookies

Name	__Secure-ROLLOUT_TOKEN
Purpose	Used to track user's interaction with embedded content.
Provider	youtube.com
Service	YouTube
Country	United States
Type	HTTP
Expires in	180 Days

Category	Name	Purpose	Provider	Service	Country	Type	Expires In
Marketing	__Secure-ROLLOUT_TOKEN	Used to track user's interaction with embedded content.	youtube.com	Youtube	United States	HTTP	180 days
Marketing	__Secure-YEC	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTTP	Session
Marketing	__Secure-YNID	Unclassified (listed in marketing).	youtube.com	Youtube	United States	HTTP	180 days
Marketing	_bit	Registers ID and click info for Bitly URL shortening service.	bit.ly	Bitly	United States	HTTP	180 days
Marketing	_gid	Google Analytics: Tracks visitor across devices and marketing channels.	sydist.com	Google	United States	HTTP	1 day
Marketing	elfsight_viewed_recently	Determines which products the user has viewed to promote related products.	core.service.elfsight.com	ElfSight	Unknown	HTTP	1 day
Marketing	LAST_RESULT_ENTRY_KEY	Used to track user's interaction	youtube.com	Youtube	United States	HTTP	Session

		with embedded content.					
Marketing	LogsDatabaseV2:V#	Used to track user's interaction with embedded content.	youtube.com	Youtube	United States	IndexedDB	Persistent
Marketing	nextId	Used to track user's interaction with embedded content.	youtube.com	Youtube	United States	HTTP	Session
Marketing	pixie	Presents relevant content/ads (Real-time bidding).	https://www.google.com/search?q=adnxs.com	Pixie	Germany	Pixel	Session
Marketing	remote_sid	Necessary for the functionality of YouTube video-content.	youtube.com	Youtube	United States	HTTP	Session
Marketing	requests	Used to track user's interaction with embedded content.	youtube.com	Youtube	United States	HTTP	Session
Marketing	ServiceWorkerLogsDatabase	Necessary for the functionality of YouTube video-content.	youtube.com	Youtube	United States	IndexedDB	Persistent
Marketing	TESTCOOKIESENABLED	Used to track user's interaction with embedded content.	youtube.com	Youtube	United States	HTTP	1 day
Marketing	VISITOR_INFO1_LIVE	Tries to estimate the users' bandwidth on pages with YouTube videos.	youtube.com	Youtube	United States	HTTP	180 days
Marketing	YSC	Registers a unique ID to keep statistics of what videos from YouTube the	youtube.com	Youtube	United States	HTTP	Session

		user has seen.					
Marketing	YtldbMeta#databases	Used to track user's interaction with embedded content.	youtube.com	Youtube	United States	IndexedDB	Persistent
Marketing	yt-remote-cast-available	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTML	Session
Marketing	yt-remote-cast-installed	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTML	Session
Marketing	yt-remote-connected-devices	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTML	Persistent
Marketing	yt-remote-device-id	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTML	Persistent
Marketing	yt-remote-fast-check-period	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTML	Session
Marketing	yt-remote-session-app	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTML	Session
Marketing	yt-remote-session-name	Stores the user's video player preferences.	youtube.com	Youtube	United States	HTML	Session
Marketing	cdn_geo_info	Unclassified	https://www.google.com/search?q=te.com	NA	Ireland	HTTP	1 day
Marketing	medias/1024-11347050-DE.jpg	Unclassified	wago.com	Wago	Unknown	Pixel	Session
Marketing	gtm.js	Google Tag Manager script execution tracking	Google	Google Tag Manager	N/A	First-party, Session	Session
Marketing	gtm.id	Google Tag Manager container identifier	Google	Google Tag Manager	N/A	First-party, Session	Session

STATISTICS Cookies

Name	_ga
Purpose	Google Analytics: Tracks visitor across devices and marketing channels.
Provider	sydist.com
Service	Google Analytics
Country	United States
Type	HTTP
Expires in	2 Years

Category	Name	Purpose	Provider	Service	Country	Type	Expires In
Statistics	XCONNECT_VISIT_ID	Unique identifier for the current visit/session	Hawksearch/XConnect	Analytics Tracking	N/A	First-party, Session	Session
Statistics	XCONNECT_VISITOR_ID	Unique identifier for the visitor (persists across sessions)	Hawksearch/XConnect	Analytics Tracking	N/A	First-party, Persistent	30 days
Statistics	XCONNECT_LAST_QUERY	Stores the last search query ID	Hawksearch/XConnect	Search Tracking	N/A	First-party, Session	Session
Statistics	XCONNECT_LAST_QUERY_VALUE	Stores the last search query value	Hawksearch/XConnect	Search Tracking	N/A	First-party, Session	Session
Statistics	XCONNECT_SEARCH_TRACKING_ID	Search tracking identifier	Hawksearch/XConnect	Search Tracking	N/A	First-party, Session	Session
Statistics	XCONNECT_LAST_PAGE_LOADED	Stores the last page that was loaded (prevents duplicate tracking)	Hawksearch/XConnect	Analytics Tracking	N/A	First-party, Session	Session
Statistics	HSVisitorId	Hawksearch visitor identifier for anonymous users	Hawksearch/XConnect	Analytics Tracking	N/A	First-party, Persistent	30 days
Statistics	_ga	Google Analytics client identifier	Google	Google Analytics	N/A	First-party, Persistent	2 years

Statistics	_gid	Google Analytics client identifier	Google	Google Analytics	N/A	First-party, Persistent	24 hours
Statistics	_gat	Google Analytics throttle request rate	Google	Google Analytics	N/A	First-party, Persistent	1 minute
Statistics	gat_gtag[PROPERTY_ID]	Google Analytics throttle for gtag.js	Google	Google Analytics	N/A	First-party, Persistent	1 minute
Statistics	AMP_TOKEN	Contains a token for retrieving Client ID from AMP Client ID service	Google	Google Analytics	N/A	First-party, Persistent	1 year
Statistics	gac[PROPERTY_ID]	Contains campaign information	Google	Google Analytics	N/A	First-party, Persistent	90 days
Statistics	_dc_gtm_UA-#	Used by Google Tag Manager to control the loading of a Google Analytics script.	sydist.com		United States	HTTP	1 day
Statistics	_ga	Google Analytics: Tracks visitor across devices and marketing channels.	sydist.com		United States	HTTP	2 years
Statistics	ga#	Google Analytics: Tracks visitor across devices and marketing channels.	sydist.com		United States	HTTP	2 years
Statistics	_gat	Google Analytics: Tracks visitor across devices and	sydist.com		United States	HTTP	1 day

		marketing channels.					
Statistics	dtCookie	Unclassified (listed in stats).	eaton.com		Ireland	HTTP	Session
Statistics	ROUTE	Registers statistical data on users' behaviour.	legrand.us		Ireland	HTTP	Session
Statistics	ROUTE	Registers statistical data on users' behaviour.	wago.com		Unknown	HTTP	Session
Statistics	_acu	Unclassified	apxl.io		United States	HTML	Persistent
Statistics	_acu	Unclassified	sydist.com		United States	HTTP	180 days
Statistics	_ZIFT_UA	Unclassified	https://www.google.com/search?q=analytics.ziftsolutions.com		United States	HTTP	1 year
Statistics	maps/vt	Unclassified	maps.googleapis.com		United States	Pixel	Session
Unclassified	g-recaptcha-verified	Indicates if reCAPTCHA has been verified	Google (reCAPTCHA)	reCAPTCHA	N/A	First-party, Persistent	Session
Unclassified	g-recaptcha-response	Stores the reCAPTCHA response token	Google (reCAPTCHA)	reCAPTCHA	N/A	First-party, Session	Session
Unclassified	SetContextPersonalds	Stores context persona IDs (legacy AngularJS code)	Application	Persona Management	N/A	First-party, Session	Session

Unclassified Cookies

NOTE:

Cookie listed below was initially audited as unclassified, but along with the rest of the previously unclassified cookies, it has been reclassified based on context. In this case, it was reclassified to necessary category.

Name	isSiteInShell
Purpose	Unclassified
Provider	sydist.com
Service	NA
Country	Unknown
Type	HTTP
Expires in	Session

How can I control cookies on my browser

Most browsers allow you to:

- View what cookies you have
- Delete cookies
- Block cookies
- Set preferences for certain websites

The following is information about how to manage cookies on the most popular browsers:

- [Chrome](#)
- [Firefox](#)
- [Safari](#)
- [Edge](#)
- [Opera](#)

California residents (CCPA / CPRA)

If you are a California resident, you have the right to:

- Know what personal information is collected
- Request deletion of your personal information
- Opt out of the “sale” or “sharing” of personal information (if applicable)
- Not be discriminated against for exercising your rights

You may exercise these rights by:

- Using our Cookie Settings tool
- Contacting us at: data.privacy@sydist.com

For more details, see our Privacy Policy.

Changes to this cookie policy

We may update this Cookie Policy from time to time to reflect:

- Changes in cookies used
- Legal or regulatory changes
- Operational or technical changes

The “**Last updated**” date at the top indicates when it was last revised.

Contact us

If you have any questions about our use of cookies or other technologies, please email us at data.privacy@sydist.com or by mail to:

[5000 Louise Drive, Mechanicsburg, PA 17055]